

L Number	Hits	Search Text	DB	Time stamp
2	4280	((717/136-146,154-163,169) or (707/102,103R)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:55
-	2643	((@ad<=19960209 or @rlad<=19960209) and ((database or persisten\$3)same (upgrad\$4 or access\$4)).ab.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:10
-	62	((mark\$4 near4 dirty) near6 (object\$1 or data)) and instruction\$1 and (DBMS or database)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 16:30
-	124	((((mark\$4 or tag\$4) near4 (dirty or new or updat\$3)) near6 (object\$1 or data)) same instruction\$1) and (DBMS or database or (data adj2 access\$3))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 16:33
-	23	((@ad<=19960209 or @rlad<=19960209) and ((database or persisten\$3)same (upgrad\$4 or access\$4)).ab.) and (707/\$ or 717/\$) and ((insert\$4 or add\$4) near4 instruction\$1)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 16:34
-	44	(((((@ad<=19960209 or @rlad<=19960209) and ((database or persisten\$3)same (upgrad\$4 or access\$4)).ab.) and (707/\$ or 717/\$) and ((insert\$4 or add\$4) near4 instruction\$1)) or ((((mark\$4 or tag\$4) near4 (dirty or new or updat\$3)) near6 (object\$1 or data)) same instruction\$1) and (DBMS or database or (data adj2 access\$3)))) and ((database or persisten\$3)same (upgrad\$4 or access\$4))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 16:35
-	203	((load\$4 adj3 data) near5 (memory or RAM)) same (repository or database or persistent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 16:37
-	3189	((stor\$4 adj3 data) near5 (repository or database or persistent)) same (memory or RAM)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 16:38
-	54	(instruction\$1 near3 (add\$4 or insert\$4)) same ((database or persisten\$3) near5 (upgrad\$4 or access\$4))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 16:46
-	124	((@ad<=19960209 or @rlad<=19960209) and ((database or persisten\$3)same (upgrad\$4 or access\$4)).ab.) and (((stor\$4 adj3 data) near5 (repository or database or persistent)) same (memory or RAM))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 14:28

-	8	(((@ad<=19960209 or @rlad<=19960209) and ((database or persisten\$3)same (upgrad\$4 or access\$4)).ab.) and ((stor\$4 adj3 data) near5 (repository or database or persistent)) same (memory or RAM))) and (((@ad<=19960209 or @rlad<=19960209) and ((database or persisten\$3)same (upgrad\$4 or access\$4)).ab.) and ((load\$4 adj3 data) near5 (memory or RAM)) same (repository or database or persistent))) and (((((@ad<=19960209 or @rlad<=19960209) and ((database or persisten\$3)same (upgrad\$4 or access\$4)).ab.) and (707/\$ or 717/\$) and ((insert\$4 or add\$4) near4 instruction\$1)) or ((((mark\$4 or tag\$4) near4 (dirty or new or updat\$3)) near6 (object\$1 or data)) same instruction\$1) and (DBMS or database or (data adj2 access\$3)))) and ((database or persisten\$3)same (upgrad\$4 or access\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 16:40
-	16	((@ad<=19960209 or @rlad<=19960209) and ((database or persisten\$3)same (upgrad\$4 or access\$4)).ab.) and ((load\$4 adj3 data) near5 (memory or RAM)) same (repository or database or persistent))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 10:36
-	79	((((load\$4 adj3 data) near5 (memory or RAM)) same (repository or database or persistent)) or ((stor\$4 adj3 data) near5 (repository or database or persistent)) same (memory or RAM))) and (@ad<=19960209 or @rlad<=19960209) and ((program or code or instruction) near7 scan\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 16:45
-	1009	(instruction\$1 near3 (add\$4 or insert\$4)) and ((database or persisten\$3) near5 (upgrad\$4 or access\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 16:46
-	2	(((((load\$4 adj3 data) near5 (memory or RAM)) same (repository or database or persistent)) or ((stor\$4 adj3 data) near5 (repository or database or persistent)) same (memory or RAM))) and (@ad<=19960209 or @rlad<=19960209) and ((program or code or instruction) near7 scan\$4)) and ((instruction\$1 near3 (add\$4 or insert\$4)) and ((database or persisten\$3) near5 (upgrad\$4 or access\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 16:46
-	2	6128771.URPN.	USPAT	2003/09/13 16:53
-	4	(((((mark\$4 or tag\$4) near4 (dirty or new or updat\$3)) near6 (object\$1 or data)) same instruction\$1) and (DBMS or database or (data adj2 access\$3))) and (707/\$ or 717/\$) and ((insert\$4 or add\$4) near4 instruction\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 17:59
-	79	((insert\$4 or add\$4) near4 ((load\$4 or stor\$3) adj2 instruction\$1)) same ((updat\$3 or modif\$4) near5 (persistent or repository or database or memory or disk))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 18:02
-	42	((insert\$4 or add\$4) near4 ((load\$4 or stor\$3) adj2 instruction\$1)) same ((updat\$3 or modif\$4) near5 (persistent or repository or database or memory or disk))) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 18:18

-	42	(((((insert\$4 or add\$4) near4 ((load\$4 or stor\$3) adj2 instruction\$1)) same ((updat\$3 or modif\$4) near5 (persistent or repository or database or memory or disk))) and (@ad<=19960209 or @rlad<=19960209)) and ((code or instruction\$1) near6 (add\$4 or insert\$4 or scann\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 18:16
-	0	(mark\$4 and modify\$3) near7 (data\$4 near4 (query near2 instructions))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 18:18
-	6	(mark\$4 or modify\$3 or add\$4 or insert\$4) near7 (data\$4 near4 (query near2 instructions))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 18:18
-	1	((mark\$4 or modify\$3 or add\$4 or insert\$4) near7 (data\$4 near4 (query near2 instructions))) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 18:19
-	4	((hash adj table) and (linked adj list\$1)) and ((class\$4 or method\$1) near3 (modify\$4 or load\$4)) and postprocess\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 08:58
-	2	((hash adj table) and (linked adj list\$1)) and ((class\$4 or method\$1) near3 (modify\$4 or load\$4)) and postprocess\$4) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 09:00
-	6	((persistent adj stor\$4 or database or disk) near5 (write and fetch or query\$3)) and ((class\$4 or method\$1) near3 (modify\$4 or load\$4)) and postprocess\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 09:00
-	2	((persistent adj stor\$4 or database or disk) near5 (write and fetch or query\$3)) and ((class\$4 or method\$1) near3 (modify\$4 or load\$4)) and postprocess\$4) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 09:01
-	2	(US-6480847-\$ or US-6128771-\$).did.	USPAT	2003/09/15 11:18
-	1	((US-6480847-\$ or US-6128771-\$).did.) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/15 11:18
-	10	("5325531" "5359730" "5404525" "5493680" "5535392" "5568642" "5577244" "5590269" "5634123" "5835701").PN.	USPAT	2003/09/15 11:47
-	57	((mark\$4 or tagg\$4) near8 dirty) and upgrad\$4 and (persisten\$3 same stor\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:17
-	14	((mark\$4 or tagg\$4) near8 dirty) and upgrad\$4 and (persisten\$3 same stor\$5)) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:25
-	43	((mark\$4 or tagg\$4) near8 dirty) and upgrad\$4 and (persisten\$3 same stor\$5)) not (((mark\$4 or tagg\$4) near8 dirty) and upgrad\$4 and (persisten\$3 same stor\$5)) and (@ad<=19960209 or @rlad<=19960209))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:23

-	267	((tag\$4 or mark\$4) near4 (source or program) adj2 (instructions or statement or lines or sequence or method or code)) and ((memory or cache or stack) same (persisten\$4 or modify\$4 or updat\$4 or load\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:25
-	104	((tag\$4 or mark\$4) near4 (source or program) adj2 (instructions or statement or lines or sequence or method or code)) and ((memory or cache or stack) same (persisten\$4 or modify\$4 or updat\$4 or load\$4))) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:26
-	61	((tag\$4 or mark\$4) near4 (source or program) adj2 (instructions or statement or lines or sequence or method or code)) and ((memory or cache or stack) same (persisten\$4 or modify\$4 or updat\$4 or load\$4))) and (@ad<=19960209 or @rlad<=19960209)) and ((locat\$4 or identif\$4 or detect\$4) near4 (code or sections or tag or instruction or location)) and ((instruction\$1 or microcode or code) near5 (add\$4 or insert\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:28
-	11	((tag\$4 or mark\$4) near4 (source or program) adj2 (instructions or statement or lines or sequence or method or code)) and ((memory or cache or stack) same (persisten\$4 or modify\$4 or updat\$4 or load\$4))) and (@ad<=19960209 or @rlad<=19960209)) and ((locat\$4 or identif\$4 or detect\$4) near4 (code or sections or tag or instruction or location)) and ((instruction\$1 or microcode or code) near5 (add\$4 or insert\$4))) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:28
-	7	Hastings.in. and "expansion program"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 13:34
-	1	(hash adj3 table) and ((dirty and persistent) near5 (object or class or component)) and ((source adj2 code) and pointer) and ((post or pre or virtual or Java) adj (processor or compiler))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 13:52
-	10	("5325531" "5359730" "5404525" "5493680" "5535392" "5568642" "5577244" "5590269" "5634123" "5835701").PN.	USPAT	2003/09/27 13:38
-	1	(descriptor or array or matrix or stack or table) and ((dirty and persistent) near5 (object or class or component)) and ((source adj2 code) and pointer) and ((post or pre or virtual or Java) adj (processor or compiler))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 15:34
-	1	((code or source or program or bytecode) near5 (mark\$4 or checkpoint\$4 or tagg\$4)) and (persisten\$3 adj2 (Java or programm\$4))) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 15:33
-	8	((code or source or program or bytecode) near5 (mark\$4 or checkpoint\$4 or tagg\$4)) and (persisten\$3 adj2 (Java or programm\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 15:42
-	5	(persisten\$3 adj2 (Java or programm\$4)) and ((garbage adj collection) or heap) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 14:46

-	5	5864864.URPN.	USPAT	2003/09/27 14:40
-	4	("5008786" "5206951" "5437027" "5504895").PN.	USPAT	2003/09/27 14:41
-	1	((("5008786" "5206951" "5437027" "5504895").PN.) and (((code or source or program or bytecode) near5 (mark\$4 or checkpoint\$4 or tagg\$4)) or (persisten\$3 adj2 (Java or programm\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 15:29
-	98	((((transient or temporar\$3) and (persisten\$3)) same (object and (storage or memory))) and ((Java and "garbage collection") or ((insert\$4 or add\$4 or mark\$4 or tag\$4) near5 (instruction\$1 or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 15:33
-	32	(((((transient or temporar\$3) and (persisten\$3)) same (object and (storage or memory))) and ((Java and "garbage collection") or ((insert\$4 or add\$4 or mark\$4 or tag\$4) near5 (instruction\$1 or code)))) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 15:59
-	17	(((((transient or temporar\$3) and (persisten\$3)) same (object and (storage or memory))) and ((Java and "garbage collection") or ((insert\$4 or add\$4 or mark\$4 or tag\$4) near5 (instruction\$1 or code)))) and (@ad<=19960209 or @rlad<=19960209)) and (dirty or isDirty)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 15:34
-	15	(((((transient or temporar\$3) and (persisten\$3)) same (object and (storage or memory))) and ((Java and "garbage collection") or ((insert\$4 or add\$4 or mark\$4 or tag\$4) near5 (instruction\$1 or code)))) and (@ad<=19960209 or @rlad<=19960209)) not ((((((transient or temporar\$3) and (persisten\$3)) same (object and (storage or memory))) and ((Java and "garbage collection") or ((insert\$4 or add\$4 or mark\$4 or tag\$4) near5 (instruction\$1 or code)))) and (@ad<=19960209 or @rlad<=19960209)) and (dirty or isDirty))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 15:42
-	4	((code or source or program or bytecode) near5 (mark\$4 or checkpoint\$4 or tagg\$4)) and ((((((transient or temporar\$3) and (persisten\$3)) same (object and (storage or memory))) and ((Java and "garbage collection") or ((insert\$4 or add\$4 or mark\$4 or tag\$4) near5 (instruction\$1 or code)))) and (@ad<=19960209 or @rlad<=19960209)) not ((((transient or temporar\$3) and (persisten\$3)) same (object and (storage or memory))) and ((Java and "garbage collection") or ((insert\$4 or add\$4 or mark\$4 or tag\$4) near5 (instruction\$1 or code)))) and (@ad<=19960209 or @rlad<=19960209)) and (dirty or isDirty))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 15:44

-	5	((code or source or program or bytecode) near5 (scan\$4 or pars\$4)) and ((((((transient or temporar\$3) and (persisten\$3)) same (object and (storage or memory))) and ((Java and "garbage collection") or ((insert\$4 or add\$4 or mark\$4 or tag\$4) near5 (instruction\$1 or code)))) and (@ad<=19960209 or @rlad<=19960209)) not ((((((transient or temporar\$3) and (persisten\$3)) same (object and (storage or memory))) and ((Java and "garbage collection") or ((insert\$4 or add\$4 or mark\$4 or tag\$4) near5 (instruction\$1 or code)))) and (@ad<=19960209 or @rlad<=19960209)) and (dirty or isDirty)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 15:59
-	2	(((((transient or temporar\$3) and (persisten\$3)) same (object and (storage or memory))) and ((Java and "garbage collection") or ((insert\$4 or add\$4 or mark\$4 or tag\$4) near5 (instruction\$1 or code)))) and (@ad<=19960209 or @rlad<=19960209)) not ((((((transient or temporar\$3) and (persisten\$3)) same (object and (storage or memory))) and ((Java and "garbage collection") or ((insert\$4 or add\$4 or mark\$4 or tag\$4) near5 (instruction\$1 or code)))) and (@ad<=19960209 or @rlad<=19960209)) and (dirty or isDirty))) and (source adj code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 15:49
-	6	("4930071" "5235701" "5291583" "5295256" "5297279" "5426780").PN.	USPAT	2003/09/27 15:53
-	149	5295256.URPN.	USPAT	2003/09/27 15:58
-	17	((code or source or program or bytecode) near5 (scan\$4 or pars\$4)) and 5295256.URPN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 15:59
-	3	((code or source or program or bytecode) near5 (scan\$4 or pars\$4)) and 5295256.URPN.) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 16:23
-	10	("3614745" "4503499" "4587628" "4713754" "4723209" "4723210" "4723211" "4739477" "4750116" "4815029").PN.	USPAT	2003/09/27 16:06
-	3	5822590.URPN.	USPAT	2003/09/27 16:11
-	4	("4853842" "5161225" "5247669" "5297279").PN.	USPAT	2003/09/27 16:12
-	14	Gupta.in. and (persistent same program\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 16:22
-	5	(Gupta.in. and (persistent same program\$5)) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 16:40
-	3	5838977.URPN.	USPAT	2003/09/27 16:23

-	20	(US-6128771-\$ or US-5634123-\$ or US-5535392-\$ or US-5404525-\$ or US-5359730-\$ or US-6480847-\$ or US-5652899-\$ or US-4910663-\$ or US-5265254-\$ or US-5193180-\$ or US-5835701-\$ or US-5864864-\$ or US-5504895-\$ or US-5437027-\$ or US-5206951-\$ or US-5499371-\$ or US-5295256-\$ or US-5822590-\$ or US-5247669-\$).did. or (US-20010034822-\$).did.	USPAT; US-PGPUB	2003/09/27 16:24
-	3	((US-6128771-\$ or US-5634123-\$ or US-5535392-\$ or US-5404525-\$ or US-5359730-\$ or US-6480847-\$ or US-5652899-\$ or US-4910663-\$ or US-5265254-\$ or US-5193180-\$ or US-5835701-\$ or US-5864864-\$ or US-5504895-\$ or US-5437027-\$ or US-5206951-\$ or US-5499371-\$ or US-5295256-\$ or US-5822590-\$ or US-5247669-\$).did. or (US-20010034822-\$).did.) and ((source adj code) near6 (scan\$4 or inspect\$4 or pars\$4 or locat\$4)) and ((insert\$ or add\$4) near7 (instruction or statement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 16:30
-	1	((US-6128771-\$ or US-5634123-\$ or US-5535392-\$ or US-5404525-\$ or US-5359730-\$ or US-6480847-\$ or US-5652899-\$ or US-4910663-\$ or US-5265254-\$ or US-5193180-\$ or US-5835701-\$ or US-5864864-\$ or US-5504895-\$ or US-5437027-\$ or US-5206951-\$ or US-5499371-\$ or US-5295256-\$ or US-5822590-\$ or US-5247669-\$).did. or (US-20010034822-\$).did.) and (dirty or isDirty) and ((insert\$ or add\$4) near7 (instruction or statement)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 16:35
-	843	((source code) or program) and ((dirty or isDirty) near8 ((mark\$4 or tag\$4) or ((insert\$ or add\$4) near7 (instruction or statement))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 16:37
-	1004	((source code) or program) and ((dirty or isDirty) near8 ((mark\$4 or tag\$4) or (scan\$4 or inspect\$4 or pars\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 16:39
-	836	(((source code) or program) and ((dirty or isDirty) near8 ((mark\$4 or tag\$4) or ((insert\$ or add\$4) near7 (instruction or statement)))) and (((source code) or program) and ((dirty or isDirty) near8 ((mark\$4 or tag\$4) or (scan\$4 or inspect\$4 or pars\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 16:39
-	9048	((source code) or program) near8 ((mark\$4 or tag\$4) and (scan\$4 or inspect\$4 or pars\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 16:40
-	68	(((source code) or program) near8 ((mark\$4 or tag\$4) and (scan\$4 or inspect\$4 or pars\$4))) and (((source code) or program) and ((dirty or isDirty) near8 ((mark\$4 or tag\$4) or ((insert\$ or add\$4) near7 (instruction or statement)))) and (((source code) or program) and ((dirty or isDirty) near8 ((mark\$4 or tag\$4) or (scan\$4 or inspect\$4 or pars\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 16:40

-	18	(((((source code) or program) near8 ((mark\$4 or tag\$4) and (scan\$4 or inspect\$4 or pars\$4))) and (((source code) or program) and ((dirty or isDirty) near8 ((mark\$4 or tag\$4) or ((insert\$ or add\$4) near7 (instruction or statement)))))) and (((source code) or program) and ((dirty or isDirty) near8 ((mark\$4 or tag\$4) or (scan\$4 or inspect\$4 or pars\$4)))))) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 17:01
-	30	(((((source code) or program) near8 ((mark\$4 or tag\$4) and (scan\$4 or inspect\$4 or pars\$4))) and (((source code) or program) and ((dirty or isDirty) near8 ((mark\$4 or tag\$4) or ((insert\$ or add\$4) near7 (instruction or statement)))))) and (((source code) or program) and ((dirty or isDirty) near8 ((mark\$4 or tag\$4) or (scan\$4 or inspect\$4 or pars\$4)))))) and (code near5 (mark\$4 or tag\$4)) and ((persist\$6 or commit\$4) near5 (stor\$5 or object or data or instruction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 17:01
-	4	(((((source code) or program) near8 ((mark\$4 or tag\$4) and (scan\$4 or inspect\$4 or pars\$4))) and (((source code) or program) and ((dirty or isDirty) near8 ((mark\$4 or tag\$4) or ((insert\$ or add\$4) near7 (instruction or statement)))))) and (((source code) or program) and ((dirty or isDirty) near8 ((mark\$4 or tag\$4) or (scan\$4 or inspect\$4 or pars\$4)))))) and (code near5 (mark\$4 or tag\$4)) and ((persist\$6 or commit\$4) near5 (stor\$5 or object or data or instruction)) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 17:12
-	2	("5615362").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 17:10
-	25	(dirty and isDirty) and (code near8 (mark\$4 or tag\$4)) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 17:12
-	33	(dirty and isDirty) and (mark\$4 or tag\$4) and (persist\$6 same stor\$5) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 17:13
-	6	((dirty and isDirty) and (mark\$4 or tag\$4) and (persist\$6 same stor\$5) and compiler) and (@ad<=19960209 or @rlad<=19960209)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/27 17:13